



LUMEGA. SAFELY ECONOMIC – BOTH TODAY AND IN THE FUTURE.

- The intelligent and proven luminaire construction means mounting and maintenance is child's play
- A wide application spectrum due to optimal light control and diverse luminous flux levels
- Computer-optimised single lenses (multi-lens technology) for uniform illumination of the complete road section and less risk of accidents
- Simple mounting, maintenance and upgrading

www.trilux.com/lumega-600-700

Detailed product information:
www.trilux.com/lumega-600-700



Lumega

- Mounting type**
Bracket-mounted
Post-top-mounted
Surface-mounted
- Light point height**
3 - 8 m
8 - 14 m
- Mounting location**
Outdoor posts
Outdoor wall
- Design**
small (970)
large (971)
- Beam characteristic**
asymmetric wide
symmetric wide
asymmetric for pedestrian crossings and cycle paths
- Luminaire luminous flux**
1,000 - 9,100 lm
- Colour rendering index | Light colour**
Ra > 70
4,000 K
- Service life**
L80 = 100,000 h
- Luminaire colour**
light-grey and anthracite grey
- Operating mode**
switchable (ET)
- Additional equipment**
Power reduction, control phase (LR)
Power reduction, self-sufficient (LRA)
Multilumen (ML)
Constant Light Output (CLO)
- Accessories**
Shieldings
Corner and pole fixings
Post mounting elements
Reduction pieces
Wall mountings

IP66

LUMEGA

POST LUMINAIRES



CONTACTS

TRILUX GmbH & Co. KG

Heidestrase · D-59759 Arnsberg

Postfach 19 60 · D-59753 Arnsberg

GERMANY

Tel. +49 2932 301-0

www.trilux.com/en

SiSEL Mühendislik Elektronik San. ve Tic. A.ş.

Şerifali Mah. Barbaros Cad. No 18

34775 Ümraniye İstanbul

TURKEY

Tel: +90 (216) 499 46 64

www.endalight.com

All technical data including dimensional and weight specifications have been compiled with due care. Errors reserved. Possible colour deviations are due to printing processes. We reserve the right to modify in the interest of progress. Luminaires are partly shown with accessories that must be ordered separately. Images of installations may show custom-manufactured luminaires. This publication was printed on PEFC-certified paper in an environmentally friendly way.